# BOHA-VERP Study Resource Components

# **Compendium of Results and Indicators**

(DRAFT 1/21/2003)

Dr. Yu-Fai Leung
Parks, Recreation and Tourism Management
North Carolina State University
(Leung@ncsu.edu)

**January 21, 2003** 

#### **Project Overview and Progress (12/02)\***

Initiated in October, 2000, this 3-year project aims at providing scientific input in formulating resource and social indicators and standards of quality that are pertinent to the management goals and objectives of Boston Harbor Islands National Park Area. Research activities are divided into resource and social components that are integrated to facilitate a holistic approach to implementing the Visitor Experience and Resource Protection (VERP) planning framework.

The resource component of the project focuses on identifying and developing resource-based indicators and formulating associated standards and monitoring procedures. Research activities are organized into three phases. Phase I research (10/00-09/01) focused on the analysis of park resources, identification of potential resource indicators, and selection of resource indicators. Major research activities included literature review, experts survey, unofficial trail and campsite assessments, official trail and recreation site assessments with the involvement of Earthwatch volunteers. A variety of trail- and site-based indicators were evaluated and the most appropriate indicators have been identified. The 2001 Progress Report (submitted on 11/05/02) provides more detailed account of Phase I efforts.

The first objective of Phase II research (10/01-09/02) aimed at examining groundcover and soil quality indicators with respect to their sensitivity to visitor use. Based on the recommendations of the State Archeologist, field procedures were modified to minimize ground disturbance. A series of field measurements were conducted on Georges, Peddocks and Grape Islands between June and October 2002. Quadrat-based and continuous line-transect measurements were applied within 12 circular sampling plots, six of which were indicative of high-use areas and the other six representing low-use areas. Initial measurements were conducted in June 2002, with remeasurements performed in August and October 2002, respectively. The data collected have been entered into computer and are being analyzed. Indicators selected from this year will be added to the list of selected indicators from the first-year research. Recommended standards for these selected resource indicators are being developed based on research findings and the scientific literature. Feedback from the BOHA Planning Committee will be sought. The second objective of Phase II research was to establish monitoring protocols and procedures. Specific monitoring protocols and procedures were developed for all selected indicators and are being finalized as a monitoring procedural manual. On August 12, 2002, the Principal Investigator conducted a field workshop for BOHA Planning Committee members to discuss resource indicators and demonstrate monitoring procedures.

The third and final phase of this project (10/02-12/03) is aimed at developing visitor carrying capacity guidelines for the park based on results from the first two years of research. Research findings from this component will be combined with the social-component research and will be incorporated into the BOHA carrying capacity plan. Another workshop to train park staff on field procedures is expected during the third year of the project

### I. SELECTED RESULTS

## A. Resource Damage on Recreation Sites

#### **A.1** Number of Recreation Sites

		Type of Recr	reation Sites		T.1 1
Island	Official Picnic Sites	Official Campsites	Unofficial Sites	Rest/Viewing Areas	Island Sum
Bumpkin	5	13	0	3	21
Button	0	0	1	0	1
Calf	0	0	1	0	1
Georges	8	0	0	3	11
Grape	3	14	0	5	22
Great Brewster	7	0	0	2	9
Green*	0	0	0	0	0
Langlee	0	0	3	0	3
Little Brewster	2	0	0	2	4
Lovells	3	12	1	0	16
Middle Brewster*	0	0	0	0	0
Outer Brewster	0	0	1	0	1
Peddocks	0	5	0	0	5
Raccoon	0	0	2	0	2
Ragged	0	0	1	0	1
Rainsford	0	0	7	0	7
Sarah	0	0	1	0	1
Sheep*	0	0	0	0	0
Slate	0	0	2	0	2
Thompson	3	5	0	0	8
Webb State Park	2	0	0	9	11
World's End	0	0	1	17	18
TOTAL	33	49	21	41	144

<sup>\*</sup> These islands will be excluded from subsequent tables.

### A.2 Area of Disturbance on Recreation Sites (ft²)

	Type of Recreation Sites										
Island	Official Picnic Sites		Official Campsites		Unofficial Sites		Rest/Viewing Areas		Island Sum		
	Median	Sum	Median	Sum	Median	Sum	Median	Sum			
Bumpkin	1871	16051	310	9543			50	150	25744		
Button					250	250			250		
Calf					1087	1087			1087		
Georges	17158	213166					1717	3434	216600		
Grape	3900	15705	607	10839			180	1130	27674		
Great Brewster	1800	17281					265	530	17811		
Langlee					313	2190			2190		
Little Brewster	669	1338					466	932	2270		
Lovells	3584	13335	879	44098	840	840			58273		
Outer Brewster					176	176			176		
Peddocks			18670	110452					110452		
Raccoon					366	732			732		
Ragged					453	453			453		
Rainsford					1157	9109			9109		
Sarah					254	254			254		
Slate					427	853			853		
Thompson	358	1248		5281					6529		
Webb SP	4975	9950					157	3558	13508		
World's End					855	855	400	13344	14199		
TOTAL		288076		180214		16798		23078	508,166		

### **A.3** Soil Exposure on Recreation Sites (Percent)

			7	Гуре of R	ecreation S	Sites			
Island	Official Picnic Sites		00	Official Campsites		Unofficial Sites		Rest/Viewing Areas	
	Mean	Med.	Mean	Med.	Mean	Med.	Mean	Med.	
Bumpkin	5.1	2.5	10.9	9.0			11.2	15.5	
Button					63.0*	n/a			
Calf					2.5*	n/a			
Georges	13.4	15.5					2.5	2.5	
Grape	2.5	2.5	26.6	15.5			5.1	2.5	
Great Brewster	12.6	2.5					2.5*	n/a	
Langlee					47.2	63.0			
Little Brewster	20.3*	n/a					9.0*	n/a	
Lovells	6.8	2.5	39.5	38.0	2.5*	n/a			
Outer Brewster					15.5*	n/a			
Peddocks			9.6	2.5					
Raccoon					20.3*	n/a			
Ragged					2.5*	n/a			
Rainsford					44.9	38.0			
Sarah					97.5*	n/a			
Slate					38.0*	n/a			
Thompson	50.3	38	59.9	63.0					
Webb SP	50.5*	n/a					32.5	15.5	
World's End					15.5*	n/a	16.9	15.5	
Overall Mean/Median	16.9	2.5	27.1	15.5	36.7	38.0	16.2	2.5	

<sup>\*</sup> Less than 3 observations; no median values available.

### A.4 Tree Damage at Recreation Sites (No.)

Island	00	icial c Sites		Official Campsites		ficial es	Island Sum
	Median	Sum	Median	Sum	Median	Sum	
Bumpkin	2	3	1	7			10
Button	-				0*	0	0
Calf					0*	0	0
Georges	2	6					6
Grape	2	2	2	11			13
Great Brewster	0	0					0
Langlee					1	2	2
Little Brewster	0*	0					0
Lovell's	0	0	2	8	2*	2	10
Outer Brewster					0*	0	0
Peddock's			0	11			11
Raccoon					1.5*	3	3
Ragged					0*	0	0
Rainsford					2	2	2
Sarah					0*	0	0
Slate					1*	1	1
Thompson	0	0	0	0			0
Webb SP	3*	3					3
World's End					2*	2	2
TOTAL		14		37		12	63

<sup>\*</sup> Less than 3 observations; no median values available.

#### **A.5** Spatial Proximity Indicator – Unofficial Recreation Sites


Total number of unofficial recreation sites that exist within 50 or 100 m of any known location of RTE plant or animal species (figures in meters)

Island	50-meter Buffer	100-meter Buffer	<b>Species Affected</b>
Bumpkin	2	9	Seabeach dock
Georges	0	1	Barn owl
Langlee	0	1	American Sea-blite
Lovells	1	5	Least tern
Rainsford	0	1	Least tern

# A.6 Diagrams Showing Distribution of Assessment Data on Official and Unofficial Recreation Sites (Site Size, Soil Exposure and Tree Damage)

#### Size of Official Recreation Sites

BCHA Resource Component 2001 Assessment




<sup>&</sup>quot; (No. of siles, cumulative frequency)

Mean=5710; Median=987; SD=12824; Min=150; Max=76008; Sum=468290; N=82

#### Soil Exposure on Official Recreation Sites

BOHA Resource Component - 2001 Assessment




<sup>\* (</sup>No. of sites, cumulative frequency)

Mean=22.9; Median=15.5; S.D =27.8 Min =2 6; Max.=97.5; N=78

#### Tree Damage at Official Recreation Sites

BOHA Resource Component - 2001 Assessment




<sup>\* (</sup>No. of sites, cumulative frequency)

Mean=2 ft Median=2, S D =2 ft Min =0, Max =5, Snn=5ft N=20

#### Size of Unofficial Recreation Sites

BOHA Resource Component - 2001 Assessment




\* (No. of sites; cumulative frequency)

Mean=799.9; Median=530.9; SD=718.8; Min=176; Max=2953; Sum=16798.8; N=21

#### Soil Exposure on Unofficial Recreation Sites

BOHA Resource Component - 2001 Assessment




Unofficial Recreation Sites (%)

Mean=36.7; Median=38; SD=33 7; Win=2 5; Max=97 5; N=20

#### Tree Damage at Unofficial Recreation Sites

BOHA Resource Component - 2001 Assessment



Unofficial Recreation Sites (%)

Mean-1 5, Median-1, SD-0 5, Min-1, Max-2, Sum-12, N-8

<sup>\* (</sup>No. of sites; cumulative frequency)

<sup>\* (</sup>No. of sites: cumulative frequency)

### B. Resource Degradation on Official Trails

### **B.1** Overall Results

Trail Tread	No. of	Length of Problem Segments (ft)						
Problem	Occurrences	Mean	Minimum	Maximum	Std. Dev.	Sum		
Bare Batches	5	39.2	8	72	27.4	196		
Soil Erosion	10	63.7	5.0	204	58.2	637		
Root Exposure	10	35.6	18	70	20.0	356		
Wet Muddy Tread	12	15.0	5	24	6.3	180		

#### **B.2** Results by Island

Island	Length of Trails			Soil I	Soil Erosion		Root Exposure		Wet Muddy Tread	
Assessed (ft)	Sum (ft)	ft/mile	Sum (ft)	ft/mile	Sum (ft)	ft/mile	Sum (ft)	ft/mile		
Grape	7618	0	0	0	0	0	0	0	0	
Great Brewster	2603	196	398	5	10	0	0	24	49	
Peddocks	8474	0	0	10	6	0	0	0	0	
Thompson	9849	0	0	173	93	0	0	96	51	
Webb SP	5576	0	0	204	194	0	0	53	50	
World's End	24721	0	0	418	89	356	76	7	2	

#### C. Social Trails

#### C.1 Extent and Density of Social Trails by Island.

Island	Area	Social	Trails
	(acre)	Total Length (ft)	Density (ft/acre)
Bumpkin	32.7	1142	34.9
Calf	22.4	3121	139.3
Georges	41.3	9517	230.4
Grape	53.7	2148	40.0
Langlee	5.2	878	168.8
Lovells	51.9	1620	31.2
Outer Brewster	20.1	1673	83.2
Peddocks	210.4	7184	34.1
Racoon	3.6	736	204.4
Rainsford	21.6	597	27.6
Slate	12.7	1610	126.8
Thompson	169.9	4241	25.0
Webb SP	25.3	1403	55.5
World's End	274.3	4254	15.5


#### **C.2** Spatial Proximity Indicator - Social Trails


Total length of social trails that exist within 50 or 100 m of any known location of RTE plant or animal species (figures in meters)


Island	50-meter Buffer	100-meter Buffer	Species Affected
Bumpkin	13.2	13.2	Seabeach dock
Georges	26.2	135.7	Barn owl
Lovells	101.4	259.0	Least tern
Rainsford	0	260.4	Least tern
Thompson	0	21.9	Seabeach dock


# Relative Change\* in Penetration Resistance (PR) by Island, Month, and Use Level BOHA Resource Component – 2002 Season


(\* Based on on-site and control PR values as measured by a pocket penetrometer)














### **II. List of Evaluated Indicators**

Types of Resources	Potential Indicators	Selected Indicators
General Land Resources	<ul> <li>Vegetative groundcover change</li> <li>Bare patches</li> <li>Mineral soil exposure</li> <li>Soil compaction measured by penetration resistance (on and off use area) (2 types of penetrometer)</li> <li>Soil aggregate stability measured by slake test</li> </ul>	- Relative change in soil compaction - Soil exposure
Unofficial Recreation Sites	- Number of sites - Area of disturbance (site size) - Condition class - Vegetative groundcover change - Mineral Soil exposure - Tree stumps or cut trees - Tree damage (trunk) - Social trails radiating from site - Trash/litter - Human waste - Vandalism (occurrence, type, location, extent, loss of functionality) - Spatial proximity indicator: total number of unofficial sites falling within ecologically sensitive zones	** AREA OF DISTURBANCE (SITE SIZE) - Soil exposure - Tree damage
Unofficial/ Social Trails	<ul> <li>Sum of length</li> <li>Number of trail branching points</li> <li>Density: Length/island area</li> <li>Condition class rating</li> <li>Length in poor condition classes (3-4)</li> <li>Social trail index (combining length and condition class)</li> <li>Spatial proximity indicator: Total length of social trails falling within ecologically sensitive zones</li> </ul>	** DENSITY OF SOCIAL TRAIL (LENGTH PER ISLAND AREA IN FT/ACRE)
Official Recreation Sites	- Number of sites - Area of disturbance (site size) - Condition class - Vegetative groundcover change - Mineral Soil exposure - Tree stumps or cut trees - Tree damage (trunk) - Social trails radiating from site - Trash - Human waste - Vandalism on and around site (occurrence, type, location, extent, loss of function) - Spatial proximity indicator: Total number of sites falling within ecologically sensitive zones	** SOIL EXPOSURE - Tree damage

Rest/Viewing Areas or Overlooks	<ul> <li>Number of sites</li> <li>Area of disturbance (site size)</li> <li>Condition class</li> <li>Vegetative groundcover onsite</li> <li>Mineral Soil exposure</li> <li>Trash</li> <li>Human waste</li> <li>Vandalism on and around site (occurrence, type, location, extent, loss of function)</li> <li>Spatial proximity indicator: Total number of sites falling within ecologically sensitive zones</li> </ul>	- Soil exposure
Official Trails	- Sum of length - Density: Length/island area - Bare patches (unpaved trails only) - Soil erosion (unpaved trails only) - Tree root exposure (unpaved trails only) - Wet soil (unpaved trails only) - Running water on trail tread - Multiple parallel treads - Pavement condition rating (paved trails only) - Vandalism along trail corridor (occurrence, type, location, extent, loss of function) - Spatial proximity indicator: Total length of official trails falling within ecologically sensitive zones	- Soil erosion (unpaved trails only)

<sup>\*\*</sup> Final recommendation for BOHA-VERP implementation.

Table 1. Evaluation Matrix of Potential Resource-based Indicators.

SELECTION					Po	OTENTIAL RESC	DURCE INDIC	CATORS				
CRITERIA*					•	OILWINE RES	JORGE INDIC					
	Social	trails	Trail	Unofficial	Rec. site	Proximity to	Groundcover	composition	Soil Qu	ality	Human	Vandalism
	Extent/	Distri-	conditions	Rec. sites	conditions	sensitive	Vegetative	Bare soil	Compaction	Aggregate	litter	
	dnesity	bution				resources	o o		1	stability	(trash)	
Low measurement	+	+	+	+	+	+	+	+	+	+	+	+
impacts											0	
Reliable/Repeatable	+	+	+	+	+	+	+	+	+	+	0	0
Correlation with use	+	+	+	+	+	0	+	+	+	-	+	+
Ecologically or socially relevant	+	+	+	+	+	+	+	+	+	+	0	0
Respond to impacts	+	+	+	+	+	+	+	+	+	+	+	?
Respond to management	0	0	+	+	+	+	+	+	+	+	+	+
Easy to measure	+	0	+	+	+	0	+	+	+	+	0	-
Low natural variability	+	+	+	+	+	+	-	0	0	0	?	n.a.
Large sampling window	+	+	+	+	+	+	+	+	+	+	+	+
Cost effective	0	0	0	0	0	0	+	+	+	+	+	+
Easy to train for monitoring	0	0	+	+	+	0	+	+	+	+	0	0
Baseline data	0	0	+	0	+	+	-	-	-	-	-	-
Response over different conditions	+	+	0	+	0	?	+	+	+	+	-	-
Recommended for BOHA-VERP implementation**	<b>/</b> /	?	<b>✓</b>	<b>√</b> ✓	<b>✓</b> ✓	?	×8	<b>✓</b>	<b>✓</b>	<b>×</b> 8	<b>X</b> 8	×8

<sup>\*</sup> The first 4 criteria are required while the other 9 are desirable criteria. These criteria were adapted from previous VERP studies (Belnap, 1998; Greater Yellowstone Winter Visitor Use Management Working Group, 1999).

 $\times$  8= not recommended  $\checkmark$  = recommended  $\checkmark$  = highly recommended ?= questionable/undecided

<sup>+ =</sup> criterion satisfied 0 = criterion partially satisfied (or varies by zone/area) - = criterion not satisfied ? = questionable/undecided n.a. = not applicable

		RECO	OMMENDED	<b>RESOURCE IN</b>	DICATORS	
ISLAND	Density of Social Trails (ft/acre)	Area Disturbed by Unofficial Recreation Sites (sq ft)	Bare Soil Exposure on Recreation Sites (%)	Eroded Tread Surface on Unpaved Official Trails (ft/mile)**	Tree Damage at Recreation Sites (mean # damaged trees per site)	Relative Soil Compaction on Official Campsites (%)
Bumpkin*	X	X	X		X	X
Button	X	X				
Calf	X	X				
Georges*	X	X	X		Χ	X
Grape	X	X	Χ	X	Χ	X
Great Brewster*	X	X	Χ	Χ	Χ	
Green	X	X				
Langlee	X	X				
Little Brewster*	X	X				
Little Calf	Х	X				
Lovells*	Х	X	X		X	X
Middle Brewster	Х	X				
Outer Brewster	Х	X				
Peddocks*	Х	X	Х	X	Χ	X
Raccoon	Х	X				
Ragged	Х	X				
Rainsford	Х	X	Х		Χ	
Sarah	Х	X				
Sheep	Х	X				
Slate	X	X				
Thompson*	X	X		Χ		
Webb State Park*	Х	X		X		
World's End*	X	X		Х		

<sup>\*</sup> Island (and peninsula) with current public access.

\*\* Indicators in shade were selected in the first round and were excluded from the final consideration.

### **SECTION I -- BY INDICATOR**

### **Density of Social Trails**

Unit of Measure: Amount of Social Trails Per Unit Island Area (ft/acre)

	Bumpkin	Button	Calf	Georges	Grape	Great	Green	Langlee	Little
Conditions/	_					Brewster			Brewster
Standards									
Current Conditions	34.9	0	139.3	230.4	40.0	0	0	168.8	0
Max. Standard	10	0	0	50	10	0	0	0	0
Min. Standard	50	10	10	500	50	10	0	10	0
Probabilistic									
Standard									

	Little Calf	Lovells	Middle	Outer	Peddocks	Raccoon	Ragged	Rainsford	Sarah
Conditions/			Brewster	Brewster					
Standards									
Current Conditions	0	31.2	0	83.2	34.1	204.4	0	27.6	0
Max. Standard	0	10	0	0	10	0	0	0	0
Min. Standard	0	50	0	10	50	10	0	10	0
Probabilistic									
Standard									

	Sheep	Slate	Thompson	Webb State	World's End
Conditions/				Park	
Standards					
Current Conditions	0	126.8	25.0	55.5	15.5
Max. Standard	0	0	10	50	10
Min. Standard	0	10	50	500	50
Probabilistic					
Standard					

## Area Disturbed by *Unofficial Recreation Sites*

Unit of Measure: Sum of recreation site sizes (Square feet)

	Bumpkin	Button	Calf	Georges	Grape	Great	Green	Langlee	Little
Conditions/	_					Brewster			Brewster
Standards									
Current Conditions	0	250	1087	0	0	0	0	2190	0
Max. Standard	0	0	0	0	0	0	0	0	0
Min. Standard	0	250	250	0	0	0	0	500	0
Probabilistic									
Standard									

	Little Calf	Lovells	Middle	Outer	Peddocks	Raccoon	Ragged	Rainsford	Sarah
Conditions/			Brewster	Brewster					
Standards									
Current Conditions	0	840	0	176	0	732	452	9109	254
Max. Standard	0	0	0	0	0	0	0	0	0
Min. Standard	0	500	0	176	0	500	452	1000	254
Probabilistic									
Standard									

	Sheep	Slate	Thompson	Webb State	World's End
Conditions/	_			Park	
Standards					
Current Conditions	0	853	0	0	855
Max. Standard	0	0	0	0	0
Min. Standard	0	500	0	0	0
Probabilistic					
Standard					

### **Bare Soil Exposure on Recreation Sites**

Unit of Measure: Mean percent exposed mineral soil on recreation site.

	Bumpkin	Button	Calf	Georges	Grape	Great	Green	Langlee	Little
Conditions/				_	_	Brewster		_	Brewster
Standards									
Current Conditions	9.2 (2.5)*	63**	2.5**	13.4 (15.5)	23.6 (15.5)	12.6 (2.5)		47.2	20.3**
								(63.0)	
Max. Standard	<10			<10	<10	<10			
Min. Standard	<30			< 50	<30	<30			
Probabilistic	<10% sites			<10% sites	<10% sites	<10% sites			
Standard	>16%			>38%	>16%	>16%			

	Little	Lovells	Middle	Outer	Peddocks	Racco	Ragged	Rainsford	Sarah
Conditions/	Calf		Brewster	Brewster		on			
Standards									
Current Conditions		29.9 (15.5)		15.5**	9.6 (2.5)	20.3**	2.5**	44.9 (38.0)	97.5**
Max. Standard		<10			<10			<10	
Min. Standard		<30			<30			<30	
Probabilistic		<10% sites			<10% sites			<10% sites	
Standard		>16%			>16%			>16%	

	Sheep	Slate	Thompson	Webb State	World's End
Conditions/				Park	
Standards					
Current Conditions		38**	56.3 (56.5)	50.5**	15.5**
Max. Standard			<10		
Min. Standard			<30		
Probabilistic			<10% site		
Standard			>38%		

<sup>\*</sup> Median in parenthesis; \*\* Less than 3 observations, no mean or median value available.

### **Eroded Tread Surface on Unpaved Official Trails**

Unit of Measure: Length of eroded trail segments per trail mile (ft/mile)

	Bumpkin	Button	Calf	Georges	Grape	Great	Green	Langlee	Little
Conditions/	_			_		Brewster		_	Brewster
Standards									
Current Conditions					0	10			
Max. Standard					0	0			
Min. Standard					50	50			
Probabilistic					<10% trails	<10% trails			
Standard					>10 ft/mile	>10 ft/mile			

	Little Calf	Lovells	Middle	Outer	Peddocks	Raccoon	Ragged	Rainsford	Sarah
Conditions/			Brewster	Brewster					
Standards									
Current Conditions	1				6		I		
Max. Standard	1				0		I		
Min. Standard	1				50		I		
Probabilistic					<10% trails				
Standard					>10 ft/mile				

	Sheep	Slate	Thompson	Webb State	World's End
Conditions/				Park	
Standards					
Current Conditions			93	194	89
Max. Standard			0	0	0
Min. Standard			100	100	100
Probabilistic			<10% trails	<10% trails	<10% trails
Standard			>20 ft/mile	>20 ft/mile	>20 ft/mile

### **Tree Damage at Recreation Sites**

Unit of Measure: Median number of trees that are severely or moderately damaged by visitors per site.

	Bumpkin	Button	Calf	Georges	Grape	Great	Green	Langlee	Little
Conditions/						Brewster			Brewster
Standards									
Current Conditions	1	0	0	2	2	0	-	1	0
Max. Standard	0		1	0	0	0	I		
Min. Standard	1		1	2	1	1	I		
Probabilistic	<10% site			<10% site	<10% site	<10% site >			
Standard	> 1 trees			> 2 trees	> 1 trees	1 trees			

	Little Calf	Lovells	Middle	Outer	Peddocks	Raccoon	Ragged	Rainsford	Sarah
Conditions/			Brewster	Brewster					
Standards									
Current Conditions		2		0	5	2	0	2	0
Max. Standard		0	1		0		-	0	
Min. Standard		1	1		2		-	1	
Probabilistic		<10% site			<10% site			<10% site	
Standard		> 1 trees			> 1 trees			> 1 trees	

	Sheep	Slate	Thompson	Webb State	World's End
Conditions/				Park	
Standards					
Current Conditions		1	0	3	2
Max. Standard					
Min. Standard					
Probabilistic					
Standard					ļ

### **Relative Soil Compaction on** *Official Recreation Sites*

Unit of Measure: Mean Percent Change in Penetration Resistance Between On-Site and Off-Site Areas (Peak Use Season)

	Bumpkin	Button	Calf	Georges	Grape	Great	Green	Langlee	Little
Conditions/						Brewster			Brewster
Standards									
Current Conditions	N/A			51.5	39.0				
				(±9.3; 1SE)	(±5.0; 1SE)				
Max. Standard	<20			<20	<20				
Min. Standard	< 50			< 50	< 50				
Probabilistic	<10% sites			<10% sites	<10% sites				
Standard	> 50%			> 50%	> 50%				

	Little	Lovells	Middle	Outer	Peddocks	Raccoon	Ragged	Rainsford	Sarah
Conditions/	Calf		Brewster	Brewster					
Standards									
Current Conditions		N/A			29.9				
					(±7.9; 1SE)				
Max. Standard		<20			<20				
Min. Standard		< 50			< 50				
Probabilistic		<10% sites			<10% sites				
Standard		> 50%			> 50%				

	Sheep	Slate	Thompson	Webb State	World's End
Conditions/				Park	
Standards					
Current Conditions					
Max. Standard					
Min. Standard					
Probabilistic					
Standard					

## SECTION II -- BY ISLAND

### **Bumpkin**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	34.9	0	9.2 (2.5)*		1	N/A
Max. Standard	10	0	< 10		0	< 20
Min. Standard	50	0	< 30		1	< 50
Probabilistic			< 10% sites >		< 10%  sites > 1	< 10 % sites >
Standard			16%		trees	50%

<sup>\*</sup> Median value in parenthesis

### **Button**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	0	250	63**		0	
Max. Standard	0	0				
Min. Standard	10	250				
Probabilistic						
Standard						

<sup>\*\*</sup> Less than 3 observations; no mean or median value available

### **Calf**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	139.3	1087	2.5**		0	
Max. Standard	0	0				
Min. Standard	50	250				
Probabilistic						
Standard						

<sup>\*\*</sup> Less than 3 observations; no mean or median value available

### Georges

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	230.4	0	13.4 (15.5)*		2	51.5
						(±9.3; 1SE)
Max. Standard	50	0	<10		0	< 20
Min. Standard	500	0	< 50		2	< 50
Probabilistic			<10% sites > 38%		< 10%  sites > 2	< 10% sites >
Standard					trees	50%

<sup>\*</sup> Median value in parenthesis

### **Grape**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	40.0	0	23.6 (15.5)*	0	2	39.0 (±5.0; 1SE)
Max. Standard	10	0	<10	0	0	<20
Min. Standard	50	0	<30	50	1	<50
Probabilistic			<10% sites > 16%	<10% trails >10	<10% sites > 1	<10% sites > 50%
Standard				ft/mile	trees	

<sup>\*</sup> Median value in parenthesis

### **Great Brewster**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	0	0	12.6 (2.5)*	10	0	
Max. Standard	0	0	<10	0	0	
Min. Standard	10	0	<30	50	1	
Probabilistic			<10% sites > 16%	<10% trails >10	< 10 sites > 1	
Standard				ft/mile	trees	

<sup>\*</sup> Median value in parenthesis

### Green

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	0	0				
Max. Standard	0	0				
Min. Standard	0	0				
Probabilistic						
Standard						

### **Langlee**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	168.8	2190	47.2 (63.0)*		1	
Max. Standard	0	0				
Min. Standard	10	500				
Probabilistic						
Standard						

<sup>\*</sup> Median value in parenthesis

### **Little Brewster**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	0	0	20.3**		0	
Max. Standard	0	0				
Min. Standard	0	0				
Probabilistic						
Standard						

<sup>\*\*</sup> Less than 3 observations; no mean or median value available

### **Little Calf**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	0	0				
Max. Standard	0	0				
Min. Standard	0	0				
Probabilistic						
Standard						

### **Lovells**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	31.2	840	29.9 (15.5)*		2	N/A
Max. Standard	10	0	<10		0	<20
Min. Standard	50	500	<30		1	<50
Probabilistic			<10% sites > 16%		<10% sites > 1	<10% sites > 50%
Standard					trees	

<sup>\*</sup> Median value in parenthesis

### **Middle Brewster**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	0	0				
Max. Standard	0	0				
Min. Standard	0	0				
Probabilistic						
Standard						

### **Outer Brewster**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	83.2	176	15.5**		0	
Max. Standard	0	0				
Min. Standard	10	176				
Probabilistic						
Standard						

<sup>\*\*</sup> Less than 3 observations; no mean or median value available

### **Peddocks**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	34.1	0	9.6 (2.5)*	6	5	29.9 (±7.9; 1SE)
Max. Standard	10	0	<10	0	0	<20
Min. Standard	50	0	<30	50	2	<50
Probabilistic			<10% sites >16%	<10% trails >10	<10% sites > 1	<10% sites > 50%
Standard				ft/mile	trees	

<sup>\*</sup> Median value in parenthesis

### Raccoon

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	204.4	732	20.3**		2	
Max. Standard	0	0				
Min. Standard	10	500				
Probabilistic						
Standard						

<sup>\*\*</sup> Less than 3 observations; no mean or median value available

### Ragged

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	0	452	2.5**		0	
Max. Standard	0	0				
Min. Standard	0	452				
Probabilistic						
Standard						

<sup>\*\*</sup> Less than 3 observations; no mean or median value available

### Rainsford

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	27.6	9109	44.9 (38.0)*		2	
Max. Standard	0	0	<10		0	
Min. Standard	10	1000	<30		1	
Probabilistic			<10% sites >16%		<10% sites > 1	
Standard					trees	

<sup>\*</sup> Median value in parenthesis

### <u>Sarah</u>

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	0	254	97.5**		0	
Max. Standard	0	0				
Min. Standard	0	254				
Probabilistic						
Standard						

<sup>\*\*</sup> Less than 3 observations; no mean or median value available

### **Sheep**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	0	0				
Max. Standard	0	0				
Min. Standard	0	0		1		
Probabilistic						
Standard						

### **Slate**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	126.8	853	38**		1	
Max. Standard	0	0				
Min. Standard	10	500				
Probabilistic						
Standard						

<sup>\*\*</sup> Less than 3 observations; no mean or median value available

### **Thompson**

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites (sq ft)	recreation sites (%)	unpaved official trails (ft/mile)	sites (#/site)	official recreation sites (%)
Current Conditions	25.0	0	56.3 (56.5)*	93	0	
Max. Standard	10	0	<10	0		
Min. Standard	50	0	<30	100		
Probabilistic			<10% sites > 38%	<10% trails >20		
Standard				ft/mile		

<sup>\*</sup> Median value in parenthesis

### Webb State Park

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	55.5	0	50.5**	194	3	
Max. Standard	50	0		0		
Min. Standard	500	0		100		
Probabilistic				<10% trails >20		
Standard				ft/mile		

<sup>\*\*</sup> Less than 3 observations; no mean or median value available

### World's End

	Density of	Area disturbed	Bare soil	Eroded tread	Damaged trees	Relative soil
Conditions/	social trails	by unofficial	exposure on	surface on	at recreation	compaction on
Standards	(ft/acre)	recreation sites	recreation sites	unpaved official	sites (#/site)	official recreation
		(sq ft)	(%)	trails (ft/mile)		sites (%)
Current Conditions	15.5	855	15.5**	89	2	
Max. Standard	10	0		0		
Min. Standard	50	0		100		
Probabilistic				<10% trails >20		
Standard				ft/mile		

<sup>\*\*</sup> Less than 3 observations; no mean or median value available

#### **BOHA-VERP Study – Resource Component** Field Assessment, Indicators and Standards



Yu-Fai Leung
Parks, Recreation &
Tourism
Management,
NC State University

**Updated 1/21/03** 

### **Objectives of Presentation**

- ◆ Overview of research efforts
- ◆ Indicator selection
- ◆ Considerations for standards

#### 2001-2002 Research Efforts

- Analyze park resources
- Identify potential resource indicators
- Develop assessment and monitoring procedures for potential indicators
- Field assessment of recreation site, trail, vegetation and soil indicators
- ◆ Integration with BOHA GIS databases
- ◆ List of recommended indicators

#### **Sources of Resource Indicators**

- ◆ Park staff
- Field observations
- Scientific and management literature
- ◆ Previous VERP implementations
- ◆ Local experts survey
- ◆ Visitor survey results (by UVM)
- BOHA GIS databases

#### Field Work in Summer 2001

- ◆ June 26 to August 11, 2001
- ◆ Supported by the Earthwatch Institute
- ◆ 26 EW volunteers were trained and involved in data collection (both components)





#### **Indicators of Resource Quality**


- Recreation site and trail indicators assessed in 2001
  - □ Social trails (GPS mapping, conditions)
  - Unofficial recreation sites (GPS, conditions)
  - □ Conditions of official trails (GPS, conditions)
  - Conditions of official recreation sites (GPS, conditions)
  - Problem segment lengths
  - □ Site size (disturbed area)
  - Ground cover loss
  - □ Tree damage
  - □ Trash
  - ☐ Human waste
  - Vandalism

### 2001 Field Work

- ◆ 22 islands were assessed
  - ◆ Islands with public access
  - ◆ Islands with possible recreational use or impacts
- ◆ System trails
  - ◆ 20 calendar days
  - ◆ 91 trails (19 miles)
- ◆ Recreational sites
  - ◆ Include rest/viewing sites (41), picnic sites (22), official campsites (59) and unofficial campsites (17)
  - ◆ 34 calendar days







#### Field Work in Summer 2002


- Vegetative and soil quality indicators
- Ground cover composition assessed by quadrats and line transects
- Soil texture
- Soil compaction (penetration resistance)
- Soil aggregate stability by slake test



#### Field Work in Summer 2002

- June, August and October of 2002
   (beginning, middle and end of season)
- High use and low use sites on Georges, Peddocks and Grape Islands (12 sites)





#### **Indicator Selection\***

#### ◆Required Criteria

- > Low measurement impacts
- > Reliable/repeatable measures
- > High correlation with visitor use
- > Ecological relevancy

#### **◆**Desirable Criteria

- > Responds quickly to impacts
- > Responds quickly to management
- > Easy to measure
- > Low natural variability
- ➤ Large sampling window
- ➤ Cost effective
- > Easy to train for monitoring
- > Availability of baseline data
- > Response over range of conditions

<sup>\*</sup> Adapted from Belnap (1998)

SELECTION CRITICIA*		POTENTIAL RESOURCE INDICATORS										
		Per C	Thati	Disconnie I	Res. 28s	Энгинер и		Поставания странти		alty.	Tiunuoti	Vandalo
	Essens' dusip	District During	contours	fire stee	consistents	THOUSENED IN	Vagototiw	State and	Сонражное	Aggregate stobility	drugs.	
Low measurement Impack	83	*	- 10				100	*	- 100	1		- 8
Selishin Superable	107		7	70	7)	3.5	11 30	T.	N.	7/	0	
Correlation with use	+			*		0	-			-		
Ecologically or coclally universit	12.	1.	**	. *	. 10	(E)		. *		. *//	0	0
Respond to Impacts		*		- 10	1		•		3.0	*:		7
Respond to management	0	0			+	+		+		+	+	+
Easy to measure		0	*	*	*	0		*	3.	*	0	- 8
Low natural variability	*		*		*	•	100	0	0	0	,	2.4
Large rangling triples	*	+		*	1		**			*	*	*
Cortoffiction	- 0	0	0	0	0	0		+		*		
Easy to train for monitoring	0	0	*	*		0		*.	12	+	0	.0
Naveline data	0	0	*	0	*//		0.50	(3)	107	7/1	15.	
Response over different conditions	+	+	D		D		+	+	*	+	-	
Recommended for BOHA VERP inglementation**	11	7	4	11	11	7	×	1	*	×	×	×
* The first 4 celt Greater Vellouste += exterion est n.a. = not applic X = not recon	ten Winte isfied ( ruble	e Visitoe D= ceitor	Use Manage	nund Workin 7 setisfied	ng Garon, 19 (or Varies by	99]	= cestorios su		?= qu	P sturkes (B estionable/u		gride:

#### **Recommended Indicators**

#### (1) First-Tier

- Density of unofficial or social trails
- Area of disturbance on unofficial recreation sites
- ◆ Bare soil exposure on recreation sites

#### (2) Second-Tier

- ◆ Eroded trail segments
- ◆ Tree damage at recreation sites
- ◆ Relative soil compaction on recreation sites

#### **Other Possible Indicators**

- ◆ Social trail offshoot points
- ◆ Social trail index (STI) Integrating conditions and frequency
- Density of social trails in the proximity (50-100m) of habitats of rare, threatened and endangered species
- ◆ Number of unofficial recreation sites in the proximity (50-100m) of habitats of rare, threatened and endangered species
- ◆ Ground cover changes (quadrat method)

#### **Dropped Indicators**

- ◆ Paved trail conditions
- ◆ Vandalism
- ◆ Littering/trash
- ◆ Soil aggregate stability
- Ground cover estimates by line transects

#### **Recommended Standards**

#### **Types of Standards**

- ◆ Maximum Std.: Most restrictive
- ◆ Minimum Std.: Least restrictive (bottomline)
- ◆ Probabilistic Std.: No more than X% of sites have more than Y amount of impact (i.e., existence of limited number of highly impacts sites/trails are acceptable)

#### **Some Considerations**

- ◆ Managed vs. unmanaged use
- Amount of use (high vs. low use)
- ◆ Sensitivity of resources
- ◆ Soil erosion potential (e.g. =< 30% bare soil)
- ◆ Existing conditions (10% percentile)
- Possibility for improvement

#### **Work Ahead**

- Data analysis and integration with BOHA GIS databases and the social component
- Final selection of indicators and associated measures and standards
- ◆ Carrying capacity guidelines (with UVM and BOHA Planning Committee)
- Monitoring protocols for selected indicators
- Staff training for monitoring procedures